
Data sheet
Coding comb pastel blue


P/N 716846

2026/11/12
Version: S

Illustrations



Dimensional drawing as an example



See enlarged drawings at the end of document

Product specification

- The coding pin is inserted into the mating area of the female contact (plug-in). The contact pin should be removed from the respective position of the header.
- This method of coding is associated with a circuit loss
- Group of 10 blue coding pins

METZ CONNECT GmbH | Im Tal 2 | 78176 Blumberg | Germany
Phone +49 7702 533-0 | Fax +49 7702 533-433 | info@metz-connect.com
Weitere Dokumentation siehe / additional documentation see / documentation supplémentaire voir www.metz-connect.com

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

Coding comb pastel blue

P/N 716846

2026/11/12
Version: S

Technical Data

Material

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

Accessories from

P/N	Designation
310071	RP025xxIBWC (Type 007)
31007102	RP02502IBWC (Type 007), 2-pole
31007103	RP02503IBWC (Type 007), 3-pole
31007104	RP02504IBWC (Type 007), 4-pole
31007105	RP02505IBWC (Typ 007), 5-pole
31007106	RP02506IBWC (Type 007), 6-pole
31007107	RP02507IBWC (Type 007), 7-pole
31007108	RP02508IBWC (Typ 007), 8-pole
31007109	RP02509IBWC (Typ 007), 9-pole
31007110	RP02510IBWC (Typ 007), 10-pole
31007111	RP02511IBWC (Type 007), 11-pole
31007112	RP02512IBWC (Type 007) , 12-pole
31007113	RP02513IBWC (Type 007), 13-pole
31007114	RP02514IBWC (Type 007), 14-pole
31007116	RP02516IBWC (Type 007), 16-pole
31007120	RP02520IBWC (Type 007), 20-pole
31007122	RP02522IBWC (Typ 007), 22-pole
31007124	RP02524IBWC (Type 007), 24-pole
310072	RP029xxIBWC Type 007
31007202	RP02902IBWC (Type 007), 2-pole
31007203	RP02903IBWC (Type 007), 3-pole
31007204	RP02904IBWC (Type 007), 4-pole
31007207	RP02907IBWC (Type 007), 7-pole
310771	RP025xxIBWU Typ 077
310772	RP029xxIBWU Typ 077
310791	RP026xxIBWU Type 079
310792	RP02AxxIBWU Typ 079
311071	RP025xxHBWC Type 107
31107102	RP02502HBWC Type 107
31107103	RP02503HBWC Type 107
31107104	RP02504HBWC Type 107
31107105	RP02505HBWC Type 107
31107106	RP02506HBWC Type 107
31107107	RP02507HBWC Type 107

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

Accessories from

31107108	RP02508HBWC Type 107
31107109	RP02509HBWC Type 107
31107110	RP02510HBWC Type 107
31107111	RP02511HBWC Type 107
31107112	RP02512HBWC Type 107
31107114	RP02514HBWC Type 107
31107115	RP02515HBWC Type 107
31107116	RP02516HBWC Type 107
31107117	RP02517HBWC Type 107
31107118	RP02518HBWC Type 107
311072	RP029xxHBWC Typ 107
311081	RP025xxMBWC Typ 108
311082	RP029xxMBWC Typ 108
311371	RP025xxIBLC (Type 137)
31137102	RP02502IBLC (Type 137)
31137103	RP02503IBLC (Type 137)
31137104	RP02504IBLC (Type 137)
31137105	RP02505IBLC (Type 137)
31137106	RP02506IBLC (Type 137)
31137108	RP02508IBLC (Type 137)
31137110	RP02510IBLC (Type 137)
31137112	RP02512IBLC (Type 137)
31137119	RP02519IBLC (Type 137)
311372	RP029xxIBLC Typ 137

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!


Coding comb pastel blue

P/N
716846

2026/11/12
Version: S

Illustrations

Dimensional drawing as an example



METZ CONNECT GmbH | Im Tal 2 | 78176 Blumberg | Germany
Phone +49 7702 533-0 | Fax +49 7702 533-433 | info@metz-connect.com
Weitere Dokumentation siehe / additional documentation see /
documentation supplémentaire voir www.metz-connect.com

© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!