

# Data sheet

## VZE-E05

Page 1/4

P/N

110098520067

EAN 4250184120223


2025/08/20

Version: E


### Illustrations



Dimensional drawing



Wiring diagram



See enlarged drawings at the end of document

### Product specification

Delayed response two-wire time relay with fixed delay time. Compact, waterproof potted modular system. Insensitive to vibrations, free of bounce and wear due to omission of mechanical components. If the operating voltage is applied to the delay circuit in series with the consumer, after the delay time t



**Data sheet**  
**VZE-E05**

Page 2/4

**P/N**  
**110098520067**  
**EAN 4250184120223**  
2025/08/20  
Version: E**Technical Data****Outputs**

Continuous Current 0.8 A

**Housing**

Mounting position any

**Climatic Data**

## Operating

Relative humidity max. 85 % non-condensing

**Classifications**

ETIM 7.0 EC001439

ETIM 8.0 EC001439

ETIM 9.0 EC001439

ETIM 10.0 EC001439


**Application note**

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).




**Illustrations**

Dimensional drawing



Wiring diagram



## Illustrations

Function diagram

