

Data sheet

Coding comb orange


Page 1/4

P/N
7169062025/08/21
Version: R

Illustrations



Dimensional drawing as an example



See enlarged drawings at the end of document

Product specification

- The coding pin is inserted into the mating area of the female contact (plug-in). The contact pin should be removed from the respective position of the header.
- This method of coding is associated with a circuit loss
- Group of 10 orange coding pins



Data sheet
Coding comb orange

Page 2/4

P/N
7169062025/08/21
Version: R**Technical Data****Material**

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet
Coding comb orange

Page 3/4

P/N
7169062025/08/21
Version: R**Accessories from**

P/N	Designation
310091	RP015xxWBWC Type 009
310092	RP019xxWBWC Typ 009
310101	RP015xxWBNC Typ 010
310491	RP015xxWBLC Type 049
310492	RP019xxWBLC Type 049

Data sheet
Coding comb orange


Page 4/4

P/N
716906

2025/08/21
Version: R

Illustrations

Dimensional drawing as an example



© 2025 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

