

Data sheet

Connecting bridge, 10 pole

Page 1/5


P/N
850349-02

EAN 4250184119302


2025/08/20

Version: E

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

The connecting bridge easily connects the terminal blocks of the coupling modules of series KRA-M4/M6/M8, without having to wire them individually. The connecting bridge has 10 poles and is available with grid dimension 11.5 mm. The end mounts completely insulate the comb-type back to provide finger protection.

- Mechanically polished surface
- flame retardant, self-extinguishing to UL 94V-2



Data sheet

Connecting bridge, 10 pole

Page 2/5

P/N
850349-02

EAN 4250184119302

2025/08/20

Version: E

Technical Data

Outputs

Continuous Current 2 A

Material

Color black

Climatic Data

Operating

Relative humidity max. 85 % non-condensing

Classifications

ETIM 7.0 EC002586

ETIM 8.0 EC002586

ETIM 9.0 EC002586

ETIM 10.0 EC002586

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet
Connecting bridge, 10 pole

Page 3/5

P/N
850349-02

EAN 4250184119302

2025/08/20

Version: E

Accessories

P/N	Designation
820165-2	End Mount



Data sheet
Connecting bridge, 10 pole

Page 4/5

P/N
850349-02

EAN 4250184119302

2025/08/20

Version: E

Accessories from

P/N	Designation
11061213	KRA-S-M6/21, 1 changeover contacts, 24 V AC/DC
11061305	KRA-M4/1, 1 normally open contact (SPST-NO), 230 V AC
11061313	KRA-M4/1, 1 normally open contact (SPST-NO), 24 V AC/DC
11061325	KRA-M4/1, 1 normally open contact (SPST-NO), 24 V DC
11061505	KRA-M6/21, 1 changeover contact, 230 V AC
11061513	KRA-M6/21, 1 changeover contact, 24 V AC/DC
11061525	KRA-M6/21, 1 changeover contact, 24 V DC
11061550	KRA-M6/21, 1 changeover contact, 12 V AC/DC
11061905	KRA-M8/21-21, 2 changeover contacts, 230 V AC
11061913	KRA-M8/21-21, 2 changeover contacts, 24 V AC/DC
11061925	KRA-M8/21-21, 2 changeover contacts, 24 V DC
11061950	KRA-M8/21-21, 2 changeover contacts, 12 V AC/DC
11064513	KRA-SR-M8/21, 1 changeover contact, 24 V AC/DC



Data sheet
Connecting bridge, 10 pole

Page 5/5

P/N
850349-02

EAN 4250184119302

2025/08/20

Version: E

Illustrations

Dimensional drawing

