

Data sheet

PC board jack M12, D-coded, 4-pole, IP67, front mounting

Page 1/5

P/N

MMW360A1A1

EAN 4250184143116


2026/07/21

Version: K


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- PC board jack M12
- 4-pole, D-coded according to IEC 61076-02-101
- THR solderable
- Front mounting
- Contact carriers green
- IP67 when plugged in
- suitable for applications in the railway industry

Data sheet

Page 2/5

PC board jack M12, D-coded, 4-pole, IP67, front mounting

P/N

MMW360A1A1

EAN 4250184143116

2026/07/21

Version: K

Technical Data

General Data

Dimensions

Dimension (D x H)	Ø 18 mm x 33.8 mm
Dimension (D x H)	0.709 in. x 1.331 in.
Ports	Single port
Coding	D-coded

Electrical characteristics

Rated voltage	250 V
Effective value of the withstand voltage	1.4 kV
Current carrying capacity at 40 °C	4 A
Insulation resistance	min. 100 MOhm

Mechanical data

Material

Material - Housing	CuZnPb
Material - Contact	CuZnPb
Contact surface	Ni + Au
Shield material	CuSn
Material - Insulating body	PA UL 94 V0
Color	metallike
Life - Number of mating cycles	>= 100
Protection category	IP 67

Climatic properties

Temperature - Operating °C	-40 °C - 90 °C
Temperature - Operating °F	-40 °F - 194 °F

Approvals

Approval mark UL/CSA	pending
----------------------	---------

Standards/Regulations

Railway applications

Electronic equipment used on rolling stock	following to DIN EN 50155
Fire protection on railway vehicles	following to DIN EN 45545-2



Data sheet

Page 3/5

**PC board jack M12, D-coded, 4-pole, IP67,
front mounting**

P/N

MMW360A1A1

EAN 4250184143116

2026/07/21

Version: K

Technical Data**Classifications**

ETIM 7.0	EC002637
ETIM 8.0	EC002637
ETIM 9.0	EC002637
ETIM 10.0	EC002637

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).



Data sheet

Page 4/5

**PC board jack M12, D-coded, 4-pole, IP67,
front mounting**

P/N

MMW360A1A1

EAN 4250184143116

2026/07/21

Version: K

Accessories

P/N	Designation
700701	M12 screw plug for jacks IP54



P/N


MMW360A1A1

EAN 4250184143116

2026/07/21

Version: K

Dimensional drawing



Drill pattern

