

Blumberg, 25.06.2025

Customer information about RoHS and REACH

Dear customer,

We, Metz Connect GmbH, do everything possible within our control to comply with all relevant regulations. The regulations are regularly monitored and checked to see whether they affect our products and whether we need to take action.

Directive 2011/65/EU including delegated Directive 2015/863/EU

METZ CONNECT GmbH

hereby declares compliance with the substance restrictions specified by Directive 2011/65/EU, taking into account the limit values and application exemptions defined by the Directive and its delegated acts (2015/863/EU) for our products.

Regulation EC/1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) of 18 December 2006

Metz Connect GmbH is a manufacturer of articles and not of substances or preparations. We are aware of the obligations imposed by the REACH Regulation on manufacturers, importers and downstream users. We fulfil the role of a 'downstream user' in accordance with Art. 3 Para. 13. As a downstream user, we are in close contact with our suppliers and always obtain up-to-date information on the current SVHC substances.

We provide you with information on SVHC substances to the best of our knowledge and belief based on the information received from our suppliers.

On 25.06.2025 the ECHA SVHC candidate list was extended by 3 new substance. According to our suppliers, the newly added substance should not be present in our articles. If we become aware in individual cases that SVHC are used in articles, we will inform you.

According to our current knowledge and information from our suppliers, the following products contain more than 0.1 per cent by mass of the following substance, which is on the candidate list of substances of very high concern drawn up by the European Chemicals Agency ECHA in accordance with Article 59 (1) of Regulation (EC) No 1907/2006 (REACH):

Further information on Rohs, Reach and data sheets can be found on our homepage under article number / downloads.

Article Nr.	Article name	SVHC >0,1%	SCIP
Connection technology M12			
PC board jacks and inserts M12			
MMT371A615	PC board jack M12, A-coded, 3-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A615-0001	PC board jack M12, A-coded, 3-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A615-0009	PC board jack M12, A-coded, 3-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A715	PC board jack M12, A-coded, 4-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A715-0001	PC board jack M12, A-coded, 4-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A715-0009	PC board jack M12, A-coded, 4-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A815	PC board jack M12, A-coded, 5-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A815-0001	PC board jack M12, A-coded, 5-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A815-0009	PC board jack M12, A-coded, 5-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A915	PC board jack M12, A-coded, 2-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A915-0001	PC board jack M12, A-coded, 2-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A915-0009	PC board jack M12, A-coded, 2-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT361A615	PC board jack M12, A-coded, 3-pole, IP67	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A615-0001	PC board jack M12, A-coded, 3-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bdx
MMT361A615-0009	PC board jack M12, A-coded, 3-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A715	PC board jack M12, A-coded, 4-pole, IP67	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A715-0001	PC board jack M12, A-coded, 4-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A715-0009	PC board jack M12, A-coded, 4-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A815	PC board jack M12, A-coded, 5-pole, IP67	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A815-0001	PC board jack M12, A-coded, 5-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A815-0009	PC board jack M12, A-coded, 5-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A915	PC board jack M12, A-coded, 2-pole, IP67,	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A915-0001	PC board jack M12, A-coded, 2-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A915-0009	PC board jack M12, A-coded, 2-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT060A615-0001	PC board insert M12, A-coded, 3-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A615-G201	PC board insert M12, A-coded, 3-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b

MMT060A715-0001	PC board insert M12, A-coded, 4-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A715-G201	PC board insert M12, A-coded, 4-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A815-0001	PC board insert M12, A-coded, 5-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A815-G201	PC board insert M12, A-coded, 5-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A915-0001	PC board insert M12, A-coded, 2-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A915-G201	PC board insert M12, A-coded, 2-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT361A115	PC board jack M12, D-coded, 4-pole, IP67	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A115-0001	PC board jack M12, D-coded, 4-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT361A115-0009	PC board jack M12, D-coded, 4-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	e1e59198-62c2-4cb4-9d81-6fcfc46bd1bd
MMT371A115	PC board jack M12, D-coded, 4-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A115-0001	PC board jack M12, D-coded, 4-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT371A115-0009	PC board jack M12, D-coded, 4-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	9d8b3e16-6c33-4261-a794-7ff6e7ad0cae
MMT471A115	PC board jack M12, D-coded, 4-pole, IP67, 90° angled, max. 2.5 mm wall thickness	Lead, CAS Nr.: 7439-92-1	a70f65c4-d7aa-47c2-a9a5-d35aa940eb8e
MMT471A115-0001	PC board jack M12, D-coded, 4-pole, IP67, 90° angled, max. 4 mm wall thickness	Lead, CAS Nr.: 7439-92-1	a70f65c4-d7aa-47c2-a9a5-d35aa940eb8e
MMT471A115-0002	PC board jack M12, D-coded, 4-pole, IP67, 90° angled, max. 5 mm wall thickness	Lead, CAS Nr.: 7439-92-1	a70f65c4-d7aa-47c2-a9a5-d35aa940eb8e
MMW360A1A1	PC board jack M12, D-coded, 4-pole, IP67, front mounting	Lead, CAS Nr.: 7439-92-1	a70f65c4-d7aa-47c2-a9a5-d35aa940eb8e
MMW370A1A1	PC board jack M12, D-coded, 4-pole, IP67, through hole mounting	Lead, CAS Nr.: 7439-92-1	a70f65c4-d7aa-47c2-a9a5-d35aa940eb8e
MMT060A115	PC board insert M12, D-coded, 4-pole, green	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A115-G2	PC board insert M12, D-coded, 4-pole, green, Tape & Reel	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A315	PC board insert M12, X-coded, 8-pole, green	Lead, CAS Nr.: 7439-92-1	44fdc0ca-8642-4910-b5a4-648b0ee5aa44
MMT060A315-G2	PC board insert M12, X-coded, 8-pole, green, Tape & Reel	Lead, CAS Nr.: 7439-92-1	44fdc0ca-8642-4910-b5a4-648b0ee5aa44
MMT060A315-G201	PC board insert M12, X-coded, 8-pole, black, Tape & Reel	Lead, CAS Nr.: 7439-92-1	44fdc0ca-8642-4910-b5a4-648b0ee5aa44
MMT060A115-0001	PC board insert M12, D-coded, 4-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT060A315-0001	PC board insert M12, X-coded, 8-pole, black	Lead, CAS Nr.: 7439-92-1	caf16e49-1242-4841-b64b-d6aac0c9083b
MMT361A315	PC board jack M12, X-coded, 8-pole, IP67	Lead, CAS Nr.: 7439-92-1	c5459eef-df7d-4ad8-83fe-6a38f5e9f065
MMT361A315-0001	PC board jack M12, X-coded, 8-pole, IP67, in individual parts	Lead, CAS Nr.: 7439-92-1	c5459eef-df7d-4ad8-83fe-6a38f5e9f065
MMT361A315-0009	PC board jack M12, X-coded, 8-pole, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	c5459eef-df7d-4ad8-83fe-6a38f5e9f065
MMT371A3B5	PC board jack M12, X-coded, 8-pole, IP67, rear mounting	Lead, CAS Nr.: 7439-92-1	851bccd5-6af1-4cec-a358-c02e13039867
MMT371A3B5-0001	PC board jack M12, X-coded, 8-pole, IP67, rear mounting, in individual parts	Lead, CAS Nr.: 7439-92-1	851bccd5-6af1-4cec-a358-c02e13039867
MMT371A3B5-0009	PC board jack M12, X-coded, 8-pole, rear mounting, IP67, in unmated condition, potted	Lead, CAS Nr.: 7439-92-1	851bccd5-6af1-4cec-a358-c02e13039867
MMT471A315	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 2.5 mm wall thickness	Lead, CAS Nr.: 7439-92-1	a96b5f7e-7333-43c6-afd7-1da0f761c6f0
MMT471A315-0001	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 4 mm wall thickness	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a

MMT471A315-0002	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 5 mm wall thickness	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a
MMT471A315-0003	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 2.5 mm wall thickness, in individual parts	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a
MMT471A315-0004	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 4 mm wall thickness, in individual parts	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a
MMT471A315-0005	PC board jack M12, X-coded, 8-pole, IP67, 90° angled, max. 5 mm wall thickness, in individual parts	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a
MMTA70A315	PC board insert M12, X-coded, 8-pole, green, 90° angled	Lead, CAS Nr.: 7439-92-1	09bd5d32-fba3-4b1d-ae3b-c05dcb41a39a

Product Compliance Management
METZ CONNECT GmbH

Im Tal 2
78176 Blumberg
Germany

Phone +49 7702 533-0
Fax +49 7702 533-433
Productcompliance@metz-connect.com
www.metz-connect.com